|   | Application No.   | Applicant(s)  | lhv                                 |
|---|---|---|-------------------------------------|
| Notice of Allowability  | 10/731,387  |   |                                     |
|   | Examin r  | CARLSON ET AL.  |                                     |
|   | Don P.Lo  | 2040  |                                     |
| The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (PTOL-85) NOTICE OF ALLOWABILITY IS NOT EXTENDABLE. | or REMAINS) CLOSED in or other appropriate commits of the second | n this application. If not included unication will be mailed in due consultation will be mailed in due consultation withdrawal from issue a subject to withdrawal from issue a from No  In No  In this national stage application | urse. <b>THIS</b> It the initiative |
| 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitt INFORMAL PATENT APPLICATION (PTO-152) which gives 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftsperso  | red. Note the attached EXA<br>reason(s) why the oath or<br>be submitted.<br>n's Patent Drawing Review   | declaration is deficient.  ( PTO-948) attached  | ICE OF                              |
| Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8-each sheet. Replacement sheet(s) should be labeled as such in the  | 4(c)) should be written on the  | e drawings in the front (not the bac  | k) of                               |
| <ol> <li>DEPOSIT OF and/or INFORMATION about the deposit<br/>attached Examiner's comment regarding REQUIREMENT FO</li> </ol>  | OF BIOLOGICAL MATE  | DIAL mount has a selectification  | the                                 |
| Attachm nt(s)   |   |   |                                     |
| Notice of References Cited (PTO-892)  |   | ormal Patent Application (PTO-15  | 2)                                  |
| <ul> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>✓ Information Disclosure Statements (PTO-1449 or PTO/SB/08)         Paper No./Mail Date 12/9/2003     </li> <li>✓ Examiner's Comment Regarding Requirement for Deposit</li> </ul>   |   | mmary (PTO-413),<br>fail Date<br>mendment/Comment<br>statement of Reasons for Allowand  | ce                                  |
| of Biological Material  | 9.  |   |                                     |

Application/Control Number: 10/731,387

Art Unit: 2819

## Information Disclosure Statement

1. Reference No. 36 in the IDS submitted 12/9/2003 is not considered because the publish date is not provided.

## Allowable Subject Matter

- 2. Claims 1-40 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

With respect to claims 1, 12 and 26, in addition to other elements in the respective claim, the prior art does not teach an apparatus having a fault detector connected to outpour of a synchronous combinational logic circuit, wherein the fault detector is operable to detect a transient fault, and the fault detector resets the asynchronous combinational logic circuit id the transient fault is detected.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Don P Le whose telephone number is 703-308-4890. The examiner can normally be reached on 7AM - 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J Tokar can be reached on 703-305-3493. The fax

Application/Control Number: 10/731,387

Art Unit: 2819

phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

5/03/2004

DON LE PRIMARY EXAMMER